

**BIBLIOGRAPHY**

- Adamson, H.F., Ross, S.Y. & Gardner, S.M. (2001) The response of upland wet heath to ESA stocking rates: a heft scale approach. *Biodiversity, plant structure and vegetation heterogeneity: interactions with the grazing herbivore*. Published on CD-ROM by SAC, Hill and Mountain Research Centre, Food Systems Division, Kirkton Farm, Crianlarich, Perthshire FK20 8RU.
- ADAS (1991a) *The Broads ESA. Report of monitoring 1991*. ADAS report to MAFF. MAFF Publications, London, UK.
- ADAS (1991c) *The Somerset Levels and Moors ESA. Report of monitoring 1991*. ADAS report to MAFF. MAFF Publications, London, UK.
- ADAS (1991d) *The South Downs ESA. Report of monitoring 1991*. ADAS report to MAFF. MAFF Publications, London, UK.
- ADAS (1995) *ADAS national strategy for ESA monitoring*. ADAS report to MAFF. MAFF Publications, London, UK.
- ADAS (1996a) *Assessing vegetation characteristics of enclosed grassland using satellite imagery*. ADAS report to MAFF.
- ADAS (1996b) *Botanical monitoring of dykes in the Broads ESA*. ADAS report to MAFF. MAFF Publications, London, UK.
- ADAS (1996d) *Botanical monitoring of grassland in the Pennine Dales*. ADAS report to MAFF. MAFF Publications, London, UK.
- ADAS (1996f) *Botanical monitoring of grassland in the South Downs ESA 1987-1995*. ADAS report to MAFF. MAFF Publications, London, UK.
- ADAS (1996g) *Botanical monitoring of heathland and semi-natural grassland in the West Penwith ESA 1987-1995*. ADAS report to MAFF. MAFF Publications, London UK.
- ADAS (1996h) *Investigation of the feasibility of using near infrared reflectance spectroscopy as a means of monitoring botanical diversity in grassland*. MAFF contract BD0325. ADAS report to MAFF.
- ADAS (1997a) *Biological monitoring of arable field margins in the Breckland ESA 1989-1996*. ADAS report to MAFF. MAFF Publications, London, UK.
- ADAS (1997b) *Biological monitoring of lowland heathland in the Breckland ESA 1988-1996*. ADAS report to MAFF. MAFF Publications, London, UK.
- ADAS (1997c) *Biological monitoring of moorland in the North Peak ESA 1988-1996*. ADAS report to MAFF. MAFF Publications, London, UK.
- ADAS (1997e) *Botanical monitoring of grassland in the Suffolk River Valleys ESA 1988-1996*. ADAS report to MAFF. MAFF Publications, London, UK.

- ADAS (1997h) *Environmental monitoring in the Exmoor ESA 1993-1996*. ADAS report to MAFF. MAFF Publications, London, UK.
- ADAS (1997i) *Environmental monitoring in the Lake District ESA 1993-1996*. ADAS report to MAFF. MAFF Publications, London, UK.
- ADAS (1997j) *Environmental monitoring in the North Kent Marshes ESA 1993-1996*. ADAS report to MAFF. MAFF Publications, London, UK.
- ADAS (1997k) *Environmental monitoring in the South Wessex Downs ESA 1993-1996*. ADAS report to MAFF. MAFF Publications, London, UK.
- ADAS (1997l) *Environmental monitoring in the South West Peak ESA 1993-1996*. ADAS report to MAFF. MAFF Publications, London, UK.
- ADAS (1997m) *Preseli ESA. Baseline monitoring report*. ADAS report to WOAD.
- ADAS (1998a) *Botanical monitoring in the Radnor ESA 1994-1997*. ADAS report to WOAD.
- ADAS (1998b) *Botanical monitoring of the Saltmarsh option of the Habitat Scheme 1995-1997*. ADAS report to MAFF.
- ADAS (1998f) *Environmental monitoring in the Shropshire Hills ESA 1994-1997*. ADAS report to MAFF. MAFF Publications, London, UK.
- ADAS (1998h) *MAFF Moorland Scheme biological monitoring programme report for 1997/98*. ADAS report to MAFF.
- ADAS (1998i) *Monitoring of the Former Set-aside Land option of the Habitat Scheme 1994-1997*. ADAS report to MAFF.
- ADAS (1998j) *Environmental monitoring in the Dartmoor ESA 1994-1997*. ADAS report to MAFF. MAFF Publications, London, UK.
- ADAS (1999a) *Biological monitoring in the Clwydian Range ESA 1995-1998*. ADAS report to WOAD.
- ADAS (1999b) *Environmental monitoring in the Ynys Mon ESA 1993-1997*. ADAS report to WOAD.
- ADAS (1999c) *Haymeadow reversion monitoring in Preseli ESA 1996-1999*. ADAS report to WOAD.
- ADAS (2000a) *Environmental monitoring in the Cambrian Mountains ESA 1995-1999*. ADAS report to WOAD.
- ADAS (2001a) *Environmental monitoring in the Llyn Peninsula ESA 1989-1998*. ADAS report to WOAD.
- ADAS (2001b) *Performance indicators for Tir Gofal habitat management prescriptions*. ADAS report to WOAD.

- ADAS (undated) *Potential re-examination of botanical and hydrological data from the Somerset levels and Moors ESA: review, assessment and proposals*. ADAS report to MAFF.
- Alcock, A.R. & Palmer, M.A. (1985) *A Standard method for the survey of ditch vegetation*. NCC.
- Alonso, I. (2001) *Common standards for monitoring lowland heathland*. English Nature.
- Anon (1995a) *Biodiversity: the UK steering group report, volume 1: meeting the Rio challenge*. HMSO, London, UK.
- Anon (1995b) *Biodiversity: the UK steering group report, volume 2: action plans*. HMSO, London, UK.
- Anon (1998) *UK biodiversity group tranche 2 action plans - volume II: terrestrial and freshwater habitats*. English Nature.
- Anon (1999) *UK biodiversity group tranche 2 action plans - volume VI: terrestrial and freshwater species and habitats*. English Nature.
- Anon (2002) The list of wetlands of international importance. *Convention on Wetlands*, Ramsar, Iran 1971.
- Askew, D.R. (1994) Pennine Dales ESA: grassland management and nature conservation interest. *Grassland management and nature conservation*. BGS Occasional Symposium No. 28, (eds. R.J. Haggard & S. Peel), pp. 179-184.
- Atkinson, M.D., Jervis, A.P. & Trueman, I.C. (1996) The potential of near infrared spectroscopy for monitoring species diversity in grassland. *Aspects of Applied Biology*, **44**, 431-436.
- Backsall, J., Manley, J. & Rebane, M.E. (2001) *The upland management handbook - Information note 1- assessing vegetation condition in the English uplands*.
- Barr, C.J.E. (1997) *ECOFAC workshop: review of techniques for botanical survey and monitoring*. ITE contract report to the Department of the Environment.
- Barthram, G.T. (1986) Experimental techniques - the HFRO sward stick. *Biennial Report of the Hill Farming Research Organisation 1984-1985* HFRO, Penicuik, Midlothian.
- Bell, N. (1994) The ecological effects of increased aerial deposition of nitrogen. *Ecological Issues*. A.G. Hildrew, Field Studies Council. **5**.
- Brown, A. (2001) *Habitat monitoring for conservation management and reporting. III. Technical guide*.
- Budd, J.T.C. (1991) Remote sensing techniques for monitoring land-cover *Monitoring for Conservation and Ecology* (ed. F.B. Goldsmith), pp. 33-59. Chapman & Hall, London, UK.

- Bunce, R.G.H. (1999) *Vegetation of the British countryside: the countryside vegetation system*. DETR, London, UK.
- Bunce, R.G.H., Barr, C.J., Clarke, R.T., Howard, D.C. & Lane, M.J. (1996) ITE Merlewood Land Classification of Great Britain. *Journal of Biogeography*, **23**, 625-634.
- Bunce, R.G.H. & Shaw, M.W. (1973) A standardised procedure for ecological survey. *Journal of Environmental Management*, **1**, 239-258.
- Bunce, R.G.H., Smart, S.M., van de Poll, H.M., Watkins, J.W. & Scott, W.A. (1999) *ECOFACT 2 - measuring change in British vegetation*. DETR, London.
- Burch, F.M., Mitchley, J., Buckley, G.P. and Watt, T.A. (1999) *Habitat restoration monitoring. Development of monitoring methodologies within the Ouse and Alde trial areas*. Peterborough. English Nature Research Reports, No 321.
- Burke, M.J.W. & Critchley, C.N.R. (1999) *Improving the cost-effectiveness of the ADAS plot method for monitoring grassland*. ADAS report to MAFF.
- Burke, M.J.W. & Critchley, C.N.R. (2001) *Review of UK agri-environment schemes and other initiatives in maintaining, restoring and re-creating semi-natural lowland grassland*. CCW Contract Science Report 436. CCW, Bangor.
- Burke, M.J.W., Critchley, C.N.R. & Allen, D.S. (2000) *Indices of spatial dynamics from the ADAS plot method for monitoring grassland vegetation*. ADAS report to MAFF.
- Carey, P.D., Barnett, C.L., Greenslade, P.D., Hulmes, S., Firbank, L.G., Garbutt, R.A., Warman, E.A., Myhill, D., R.J., S., S.M., S., Manchester, S.J., Robinson, J., Walker, K.J., W. & Howard, D.C. (2001a) *Monitoring and evaluation of the Countryside Stewardship Scheme. Module 2: The ecological characterisation of land under agreement*. ADAS, CEH, CCRU, Report to DEFRA.
- Carey, P.D., Finch, C., Hunt, J., Morris, C., Parkin, A., Priscott, A., Routh, C. & Short, C. (2001b) *Monitoring and evaluation of the Countryside Stewardship Scheme. Overview report*. ADAS, CEH, CCRU, Report to DEFRA.
- Causton, D.R. (1988) *Introduction to vegetation analysis*, Unwin Hyman, London.
- CCW (2002) *Performance indicators for Tir Gofal habitat management prescriptions. Draft 5*. CCW, Bangor.
- Chambers, B.J., Critchley, C.N.R., Fowbert, J.A., Bhogal, A. & Rose, S.C. (1999) *Soil Nutrient Status and Botanical Composition of Grasslands in English Environmentally Sensitive Areas*. ADAS report to MAFF.
- Chambers, B.J., Critchley, C.N.R., Fowbert, J.A., Bhogal, A. & Rose, S.C. (2000) *Soil Nutrient Status and Botanical Composition of Grasslands in Welsh Environmentally Sensitive Areas*. ADAS report to MAFF.

- Coleman, S.W., Barton II, F.E. & Meyer, R.D. (1985) The use of near-infrared reflectance spectroscopy to predict species composition of forage mixtures. *Crop Science*, **25**, 834-837.
- Cooke, A. (1999) *Revised Agri-Environment Scheme Monitoring and Evaluation Strategy: Moorland Monitoring*. Unpublished FRCA report, Wolverhampton.
- Critchley, C.N.R. (1997) Monitoring methods. *Grassland Management in Environmentally Sensitive Areas. BGS Occasional Symposium No. 32*, (ed. R.D. Sheldrick), pp. 44-54.
- Critchley, C.N.R. (2000) Ecological assessment of plant communities by reference to species traits and habitat preferences. *Biodiversity and Conservation*, **9**, 87-105.
- Critchley, C.N.R., Allen, D.S., Fowbert, J.A., Mole, A.C., Gundrey, A.L. & Burke, M.J.W. (2001) *Higher plants. In: Ecological evaluation of the Arable Stewardship Pilot Scheme, 1998-2000*. ADAS/CLUWRR/EGI/GCT report to MAFF.
- Critchley, C.N.R. & Burke, M.J.W. (1999) *Vegetation monitoring in English Environmentally Sensitive Areas: the potential role of the Countryside Vegetation System*. ADAS report to MAFF.
- Critchley, C.N.R., Burke, M.J., & Fowbert, J.A. (1999a) *Sensitivity and calibration of Plant Community Variables for Grassland Monitoring in English ESAs*. ADAS report to MAFF.
- Critchley, C.N.R., Chambers, B.J., Fowbert, J.A., Bhogal, A., Rose, S.C. & Sanderson, R. (in press) Plant species richness, functional type and soil properties of grasslands and allied vegetation in English Environmentally Sensitive Areas. *Grass and Forage Science*.
- Critchley, C.N.R., Chambers, B.J., Fowbert, J.A., Sanderson, R.A., Bhogal, A. & Rose, S.C. (2002) Association between lowland grassland plant communities and soil properties. *Biological Conservation*, **105**, 199-215.
- Critchley, C.N.R., Fowbert, J.A., McLaren, R. & Slater, J.A. (1999b) *Assessment of land cover and biological monitoring data for reporting on Biodiversity Priority Habitats within ESAs*. ADAS report to MAFF.
- Critchley, C.N.R. & Poulton, S.M.C. (1998) A method to optimize precision and scale in grassland monitoring. *Journal of Vegetation Science*, **9**, 837-846.
- Critchley, C.N.R., Poulton, S.M.C., Smart, S.M. & Myers, G.M. (1996a) *Analysis procedures for ESA monitoring data (grasslands and allied communities)*. ADAS report to MAFF.
- Critchley, C.N.R., Smart, S.M., Poulton, S.M.C. & Myers, G.M. (1996b) Monitoring the consequences of vegetation management in Environmentally Sensitive Areas. *Aspects of Applied Biology*, **44**, 193-201.

- Cummins, R.P., Elston, D.A., Gauld, J.H., Barr, C.J. & Bunce, R.G.H. (1997) Monitoring vegetation in the Scottish ESAs. *Grassland Management in Environmentally Sensitive Areas. BGS Occasional Symposium no. 32*, (ed. R.D. Sheldrick), pp. 61-66.
- Cummins, R.P., Gauld, J., Hewison, R.L., French, D.D., Rees, T., Mills, C., Marquiss, M., Picozzi, N. & Elston, D.A. (2000) *Monitoring ESA's in Scotland. Vol 1: Overview of Scottish ESA reports*. Report to SERAD.
- Dallmeier, F., Kabel, M. & Rice, R. (1992) Methods for long-term biodiversity inventory plots in protected tropical forest *Long-Term Monitoring of Biological Diversity in Tropical Forest Areas* (eds. F. Dallmeier), pp. 11-46. UNESCO.
- Dargie, T.C. (1996) *The distribution of lowland wet grassland in England. English Nature Research Report No. 49*. English Nature: Peterborough.
- Department of Transport Environment and the Regions (DETR) (1999) *Indicators of climate change in the UK*. DETR, London.
- Dupre, C. (2000) How to determine a regional species pool: a study in two Swedish regions. *Oikos*, **89**, 128-136.
- Ecoscope (2002) *Review of Agri-environment Schemes*. Draft rep. to DEFRA, Ecoscope Applied Ecologists, Cambridgeshire.
- Ellenberg, H. (1979) Zeigwerte von Pflanzen in Mitteleuropa. *Scripta Geobotanica*, **18**, 1-248.
- Ellenberg, H. (1988) *Vegetation ecology of central Europe*, 4th edition. Cambridge University Press, Cambridge, UK.
- English Nature (1999) *National specialist guidance for conservation objectives*. Vol. 1. English Nature, Peterborough.
- Entec (1997) *Tir Cymen. First evaluation report*. CCW, Bangor.
- Entec (1998) *Tir Cymen. Second monitoring and evaluation report*. CCW Bangor.
- Ertsen, A.C.D., Alkemade, J.R.M. & Wassen, M.J. (1998) Calibrating Ellenberg indicator values for moisture, acidity, nutrient availability and salinity in the Netherlands. *Plant Ecology*, **135**, 113-124.
- Firbank, L.G., Barr, C.J., Bunce, R.G.H., Haines-Young, R., Hornung, M., Howard, & D.C., S., J., Sier, A., Smart, S.M (2002 in press) Assessing stock and change in land cover and biodiversity: Countryside Survey 2000. *Journal of Environmental Management*.
- Firbank, L.G., Asteraki, L., Chamberlain, D., Gough, S., Haysom., Petit, S., Pywell, R., Warman, L. & Vickery, J. (2001) *Development and validation of a methodology for the condition assessment of extensively managed arable habitats*. Report to DEFRA.

- Fitter, A.H. & Peat, H.J. (1994) The ecological flora database. *Journal of Ecology*, **82**, 415-425.
- Fowbert, J.A. & Critchley, C.N.R. (2000) *Calibration of plant community variables for mires, wet grasslands and upland communities*. ADAS report to MAFF.
- Fowbert, J.A., Pywell, R.F., Walker, K.J & Warman, E.A. (2000) *Assessment of the success schemes of schemes to recreate lowland heath*. ADAS Contract Research Report to MAFF.
- Fowbert, J.A., Wilson, D.W. & Critchley, C.N.R. (2002) *Sampling strategies for monitoring and assessment of upland hay meadows in the Pennine Dales and Lake District ESAs*. ADAS report to DEFRA.
- Frame, J. (1993) *Herbage mass Sward measurement handbook 2nd edition* (eds. A. Davies, R.D. Baker, S.A. Grant & A.S. Laidlaw), British Grassland Society, Reading.
- Garcia-Criado, B., Garcia-Ciudad, A. & Perez-Corona, E. (1991) Prediction of botanical composition in grassland herbage samples by near infrared reflectance spectroscopy. *Journal of the Science of Food and Agriculture*, **57**, 507-515.
- Gardner, S.M., Allen, D.S., Burke, M. & Welch, D. (1998) *Monitoring the maintenance and enhancement of heather moorland*. ADAS report to MAFF.
- Gardner, S.M., Burke, M. & Hodkinson, D. (1999) *Statistical assessment of techniques for monitoring species composition in upland plant communities*. ADAS Report to MAFF.
- Gauld, J.H., Cummins, R. & Elston, D.A. (1997) ESA monitoring in Scotland - grasslands. *Grassland Management in Environmentally Sensitive Areas*. BGS Occasional Symposium no. 32, (ed. R.D. Sheldrick), pp. 227-228.
- Gerard, F.F., Langmaid, P.J., Pywell, R.F., Hill, R.A. & Wilson, A.K. (1999) Airborne scanning imagery as a support to field surveying, and environmental impact assessment on a UK military training area. *Fourth International Airborne Remote Sensing Conference and Exhibiton/ 21st Canadian Symposium on Remote Sensing*, pp. II-703 - II-710.
- Glaves, D. J. (1999) *Revised Intergrated Agri-environment Scheme Monitoring and Evaluation startegy: thematic botanical monitoring*. Unpubl. draft rep, FRCA, Starcross.
- Glaves, D.J. (2001) *Overgrazing environmental cross compliance: DEFRA RDS/NAWAD interim guidance note on a threshold for heather Grazing Index (GI)*. Unpublished DEFRA Report, Exeter, UK.
- Glaves, D., J., Darlaston, M. & Evans, R. (2001) *The moorland appraisal pilot project (MAPP)*. Draft report. DEFRA/NAWAD, Exeter, UK.
- Goldsmith, B. (1991) *Monitoring for Conservation and Ecology*, Chapman & Hall.

- Grant, S.A. (1993) Resource description - vegetation and sward components *Sward measurement handbook 2nd edition* (eds. A. Davies, R.D. Baker, S.A. Grant & A.S. Laidlaw), British Grassland Society, Reading.
- Grant, S.A., Hamilton, W.J. & Souter, C. (1981) The responses of heather dominated vegetation in North East Scotland to grazing by red deer. *Journal of Ecology*, **69**, 189-204.
- Grant, S.A., Lamb, W.I.C., Kerr, C.D. & Bolton, G.R. (1976) The utilisation of blanket bog vegetation by grazing sheep. *Journal of Ecology*, **13**, 857-869.
- Grant, S.A., Torvell, L., Sim, E.M., Small, J.L. & Armstrong, R.H. (1996) Controlled grazing studies on *Nardus* grassland: effects of between-tussock sward height and species of grazer on *Nardus* utilisation and floristic composition in two fields in Scotland. *Journal of Applied Ecology*, **33**, 1053-1064.
- Greig-Smith, P. (1983) *Quantitative plant ecology*, 3rd edition. Blackwell,
- Grenfelt, P. & Thornelof, E. (1992) *Critical loads for nitrogen*, Nordic Council of Ministers, Copenhagen, Denmark.
- Grime, J.P. (1979) *Plant strategies and vegetation processes*, Wiley, Chichester, UK.
- Grime, J.P., Hodgson, J.G. & Hunt, R. (1988) *Comparative plant ecology: a functional approach to common British species*, Unwin Hyman, London, UK.
- Heil, G.W. & Diemont, W.H. (1983) Raised nutrient levels change heathland into grassland. *Vegetatio*, **53**, 113-120.
- Henderson, D.J., Madden, S., Still, M.J., Dry, F.T., Hudson, G., Towers, W. & Gauld, J.H. (1994a) *The Stewartry, Whitlaw/Eildon and the Machair of the Uists and Benbecula, Barra and Vatersay ESAs - biological monitoring report, years one to five 1989-1993*. Report to SOAFD.
- Henderson, D.J., Madden, S., Still, M.J., Lilly, A. & Gauld, J.H. (1994b) *The Loch Lomond ESA - biological monitoring report, years one to five 1989-1993*. Report to SOAFD.
- Hill, M.O. (1979) *TWINSPAN - a FORTRAN program for arranging multivariate data in an ordered two-way table by classification of individuals and attributes*. Cornell University, New York, USA.
- Hill, M.O., Mountford, R. & Bunce, R.G.H. (1999) *ECOFACT 2 technical annex - Ellenberg's indicator values for British plants*.
- Hill, M.O., Roy, D.B., Mountford, J.O. & Bunce, R.G.H. (2000) Extending Ellenberg's indicator values to a new area: an algorithmic approach. *Journal of Applied Ecology*, **37**, 3-15.

- Hodgson, J.G., Colasanti, R., Philipson, P., Leach, S., Montgomery, S. & Hunt, R. (1994) A simple method for monitoring grassland vegetation. *Grassland Management and Nature Conservation BGS Occasional Symposium No. 28*, (eds. R.J. Haggard & S. Peel), pp. 286-288.
- Hodgson, J.G., Colasanti, R. & Sutton, F. (1995) *Monitoring Grasslands Volume I*. English Nature, Peterborough.
- Hodgson, J.G., Colasanti, R. & Sutton, F. (unpublished) *FIBS (Functional Interpretation of Botanical Surveys) I. General Methods*. Unit of Comparative Plant Ecology, Sheffield.
- Hodgson, J.G., Halstead, P., Wilson, P.J. & Davis, S. (1999) Functional interpretation of archeobotanical data: making hay in the archaeological record. *Vegetation History and Archaeobotany*, **8**, 261-271.
- Hodkinson, D.J., Critchley, C.N.R. & Sherwood, A.J. (1997) A botanical survey of conservation headlands in Breckland. *Brighton Crop Protection Conference - Weeds*, pp. 979-984.
- Holmes, C.W. (1974) The Massey grass meter *Dairy Farming Annual*, pp. 26-30. Massey University, Palmerston North, New Zealand.
- Hooper, A.J. (1992) Measurement and perception of change: Field monitoring of environmental change in the Environmentally Sensitive Areas. *27th ITE (Institute of Terrestrial Ecology) Symposium - Land Use Change: the Causes and Consequences*, (ed. M.C. Whitby), pp. 53-59.
- Hurford, C. & Perry, K. (2001) *Habitat monitoring for conservation management and reporting. I. Case studies*. CCW, Bangor.
- Inoue, Y., Morinaga, S. & Tomita, A. (2000) A blimp-based remote sensing system for low-altitude monitoring of plant variables: a preliminary experiment for agricultural and ecological applications. *International Journal of Remote Sensing*, **21**, 379-385.
- Jackson, D.L. (2000) *Guidance on the interpretation of the biodiversity broad habitat classification (terrestrial and freshwater types): definitions and the relationship with other habitat classifications*. JNCC Report. 307.
- Jerram, R., Drewitt, A. & Backshall, J. (2001) Information Note 1: assessing vegetation condition in the English uplands. In *The upland management handbook* (eds. J. Backshall, J. Manley & M. Rebane), pp. English Nature, Peterborough, UK.
- JNCC (1998) *A statement on Common Standards Monitoring*. JNCC, Peterborough.
- Johnston, A.E., Goulding, K.W.T. & Poulton, P.R. (1986) Soil acidification during more than 100 years under permanent grassland and woodland at Rothamsted. *Soil Use and Management*, **2**, 3-10.

- Johnstone, R. (2001) *Countryside Management Scheme protocol for biological monitoring programme*. Draft protocol. DANI, Belfast.
- Jongman, R., ter Braak, C.J.F., van Tongeren, O.F.R. (1995) *Data analysis in community and landscape ecology*, Cambridge University Press, Cambridge, UK.
- Kershaw, K.A. & Looney, J.H.H. (1985) *Quantitative and dynamic plant ecology*, Edward Arnold, London, UK.
- Kirby, K., Latham, J., Holl, K., Corbett, P. & Watson, R. (2001) *Objective setting and condition monitoring within woodland Sites of Special Scientific Interest*. English Nature, Peterborough.
- Kirkham, F.W. (2001) Nitrogen uptake and nutrient limitation in relation to atmospheric deposition in England and Wales. *Journal of Ecology*, **89**, 1041-1053.
- Kirkham, F.W., Burke, M.J., Diack, I.A. & Peel, S. (2001) *Development of sward-based guidelines for grassland management in ESAs and Countryside Stewardship*. Report to MAFF.
- Kirkham, F.W. & Wilson, D.W. (2000) *Calibration of Biomass Utilisation from Grazing Index - an evaluation of the mathematical approach used by ADAS and FRCA*. ADAS report to MAFF.
- Land Use Consultants (1996) *Environmentally Sensitive Areas: review of the environmental monitoring framework*. Unpubl. rep to the National Audit Office, Land Use Consultants, London.
- MacDonald, A. (2002) *Draft UK Guidance on Conservation Objectives for Monitoring Designated Sites: Dry heath and blanket bog (upland)*. Uplands and Peatlands Group Advisory Services, SNH.
- Malloch, A.J.C., UK. (1992) *Match - a computer program to aid the assignment of vegetation to the communities and subcommunities of the National Vegetation Classification*. University of Lancaster, UK.
- Maslov, A.A. (1990) Multi-scaled and multi-species pattern analysis in boreal forest communities *Spatial Processes in Plant Communities* (eds. F. Krahulec, A.D.Q. Agnew, S. Agnew & J.H. Willems), pp. 83-88.
- McCollin, D., Moore, L. & Sparks, T. (2000) The flora of a cultural landscape: environmental determinants of change revealed using archival sources. *Biological Conservation*, **92**, 249-263.
- McLaren, R. (1998) *Monitoring of the Water Fringe Areas option of the Habitat Scheme 1994-1997*. ADAS report to MAFF.
- McLaren, R. (2001a) *Botanical monitoring of the saltmarsh option of the Habitat Scheme 2000*. ADAS report to MAFF.

- McLaren, R. (2001b) *Plant survival and sea water inundation at Abbots Hall managed retreat site during the year 2000*. ADAS report to MAFF.
- McLaren, R. (2002) *Effects of artificial creeks on saltmarsh establishment at Bleadon, North Somerset*. ADAS report to DEFRA.
- McLaren, R.P. & Pearce, A.K. (1999) *Supplementary Environmental Assessment and Future Monitoring Proposals for Former Set-aside Option Land*. ADAS report to MAFF.
- Mino, N., Saito, G. & Ogawa, S. (1998) Satellite monitoring of changes in improved grassland management. *International Journal of Remote Sensing*, **19**, 439-452.
- Mitchley, J., Burch, F.M., Buckley, G.P. & Watt, T.A. (2000) *Habitat restoration monitoring handbook*. Peterborough. English Nature Research Reports, No 378.
- Morris, R.K.A., Pilcher, R., Sutton, C., Dyson, C.D., Skipp, S., Friend, K., Wilson, S. & Chambers, J.D.P. (1993) *A ditch survey method for use in the North Kent Marshes Environmentally Sensitive Area*. English Nature, Wye, UK.
- NCC (Butterflies under threat team). (1986) *The management of chalk grassland for butterflies*. NCC, Peterborough, UK.
- Nilsson, C. (1992) Increasing the reliability of vegetation analyses by using a team of two investigators. *Journal of Vegetation Science*, **3**, 565.
- Nolan, A.J., Still, M.J., J.S., B. & Gauld, J.H. (1994) *The Breadalbane ESA - biological monitoring report, years one to five 1989-1993*. Report to SOAFD.
- Olf, H., Berendse, F. & de Wissler, W. (1994) Changes in nitrogen mineralization, tissue nutrient concentrations and biomass compartmentation after cessation of fertilizer application to mown grassland. *Journal of Ecology*, **82**, 611-620.
- Osborne, B.G., Fearn, T. & Hindle, P.H. (1993) *Practical near infra-red spectroscopy with applications in food and beverage analysis*, Longman, London, UK.
- Ovenden, G. & Turner, A. (2002) *Agri-environment measures that contribute to BAP Priority Habitat targets*. DEFRA Internal Report.
- Pitcairn, C.E.R., Fowler, D. & Grace, J. (1995) Deposition of fixed atmospheric nitrogen and foliar nitrogen content of bryophytes and *Calluna vulgaris*. *Environmental Pollution*, **88**, 196-205.
- Poulton, S.M.C. (1991) *North Peak ESA biological monitoring programme 1990*. ADAS report to MAFF.
- Poulton, S.M.C. (1999) *The use of 'community variables' to describe vegetation characteristics and quantify their change*. Biological & Ecological Statistical Services, Bridgnorth. report to FRCA.

- Poulton, S.M.C. & Critchley, C.N.R. (unpubl.) Observer consistency in estimating the plant species composition of grassland. I. Variation due to recording method and vegetation characteristics. ADAS, Wolverhampton.
- Poulton, S.M.C., Critchley, C.N.R. & Myers, G.M. (unpubl.) Observer consistency in estimating the plant species composition of grassland. II. The quantification of precision limits. ADAS, Wolverhampton.
- QUB (1993) *ESAs in Northern Ireland. Biological monitoring report year 1, 1993 (West Fermanagh and Erne Lakeland)*. Department of Agriculture for Northern Ireland.
- QUB (1994) *ESAs in Northern Ireland. Biological monitoring report year 2, 1994 (Antrim Coast, Glens and Rathlin, Sperrin etc.)*. Department of Agriculture for Northern Ireland.
- QUB (1997b) *Remonitoring of the West Fermanagh and Erne Lakeland ESA. Biological Evaluation of the ESA scheme between 1993 and 1996 - partial resurvey*. Department of Agriculture for Northern Ireland.
- QUB (1998a) *ESA landscape remonitoring (Northern Ireland)*. Department of Agriculture for Northern Ireland.
- QUB (1998b) *Remonitoring of the Mourne & Slieve Croob, the Antrim Coast, Glens & Rathlin, the Sperrin, Slieve Gullion. Biological Evaluation of the ESA scheme between 1993 and 1996 partial resurvey*. Department of Agriculture for Northern Ireland.
- QUB (2000) *ESAs in Northern Ireland. Biological remonitoring report 2000*. Department of Agriculture for Northern Ireland.
- RGAR (1997) *Acid Deposition in the United Kingdom 1992-94. Fourth Report of the Review Group on Acid Rain*. Department of the Environment, London.
- Robertson, H.J., Bingham, J. & Slater, I. (2000) *Monitoring the condition of lowland grassland SSSIs II. A test of the rapid assessment approach*. English Nature research report No. 315. English Nature, Peterborough.
- Robertson, H.J. & Jefferson, R.G. (2000) *Monitoring the condition of lowland grassland SSSIs - I English Nature's rapid assessment method*. English Nature research report No. 315. English Nature, Peterborough.
- Robertson, H.J., Jefferson, R.J., Wilson, P.J., Reed, M.E., McDonnell, E. & Wheeler, B. (2002) *Monitoring grassland Biodiversity Action Plan Targets: condition and restoration assessment methodologies for non-statutory grasslands. Interim Report*. English Nature, Peterborough.
- Rodwell, J.S. (1991) *British plant communities: mires and heaths*, 1. Cambridge University Press, Cambridge, UK.
- Rodwell, J.S. (1991 *et seq.*) *British plant communities, Volumes 1-5*, Cambridge University Press, Cambridge, UK.

- Rodwell, J.S. (1992) *British plant communities: grasslands and montane communities*, Cambridge University Press, Cambridge, UK.
- Rodwell, J.S. (2000) *British plant communities: maritime communities and vegetation of open habitats*, Cambridge University Press, Cambridge, UK.
- Sanderson, R. & Staley, J. (2001) *Models to predict species distributions at a landscape scale in the East Anglia arable Stewardship Pilot Area. In: Ecological Evaluation of the Arable Stewardship Pilot Area. ADAS/CLUWRR/EGI/GCT report to MAFF.*
- Schaffers, A.P. & Sykora, K.V. (2000) Reliability of Ellenberg indicator values for moisture, nitrogen and soil reaction: a comparison with field measurements. *Journal of Vegetation Science*, **11**, 225-244.
- Sherwood, A. (2001) *Botanical monitoring of the saltmarsh option of the Habitat Scheme 2001*. ADAS report to DEFRA.
- Siebel, H.N. (1993) *Indicatiegetallen van bladen levermossen*. Wageningen. IBN-rapport. 047
- Smart, S. (2000) Ecological assessment of vegetation from a nature reserve using regional reference data and indicator scores. *Biodiversity and Conservation*, **9**, 811-832.
- Smart, S., Clarke, R.C., van de Poll, H.M., Robertson, E.J., Shield, E.R., Bunce, R.G.H. & Maskell, L.C. (2002 in press) National-scale vegetation change across Britain; an analysis of sample-based surveillance data from the Countryside Surveys of 1990 and 1998. *Journal of Environmental Management*.
- Smith, I.R., Wells, D.A. & Welsh, P. (1985) Botanical survey and monitoring methods for grasslands. *Focus on nature conservation 10*. Nature Conservancy Council, Peterborough.
- Sorensen, M.M. & Tybirk, K. (2000) Vegetation analysis along a successional gradient from heath to oak forest. *Nordic Journal of Botany*, **20**, 537-546.
- Stewart, K.E.J., Bourn, N.A.D. & Thomas, J.A. (2001) An evaluation of three quick methods commonly used to assess sward height in ecology. *Journal of Applied Ecology*, **38**, 1148-1154.
- Swash, A. (1997) Environmentally Sensitive Areas in the UK and their grassland resource. *Grassland Management in Environmentally Sensitive Areas. BGS Occasional Symposium No. 32*, (ed. R.D. Sheldrick), pp. 34-43.
- Ter Braak, C.J.F. (1987) The analysis of vegetation-environment relationships by Canonical Correspondence Analysis. *Vegetatio*, **69**, 69-77.
- Ter Braak, C.J.F. (1988) Partial Canonical Correspondence Analysis *Classification and Related Methods of Data Analysis* (ed. H.H. Bock), pp. 551-558. North-Holland, Amsterdam.

- Thompson, K. (1994) Predicting the fate of temperate species in response to human disturbance and global change. *NATO Advanced Research workshop on Biodiversity, Temperate Ecosystems and Global Change*, (eds. T.J.B. Boyle & C.E.B. Boyle), pp. 61-76.
- Tinker, P.B. (1994) Monitoring environmental change through networks. *Long-term Experiments in Agriculture and Ecological Sciences* (eds. R.A. Leigh & A.E. Johnston), pp. 407-421. CAB International, Wallingford, UK.
- Weiher, E. (1999) The combined effects of scale and productivity on species richness. *Journal of Ecology*, **87**, 1005-1011.
- Wheeler, B.D. & Shaw, S.C. (1992) *Biological indicators of the dehydration and changes to East Anglian fens, past and present*. English Nature Research Report No. 22. English Nature, Peterborough.
- Wilson, J.B. & Lee, W.G. (2000) C-S-R triangle theory: community-level predictions, tests, evaluation of criticisms, and relation to other theories. *Oikos*, **91**, 77-96.
- Winward, A.H. & Martinez, G.C. (1983) Nested frequency - an approach to monitoring trend in rangeland and understorey timber vegetation. *Renewable resource inventories for monitoring changes and trends*, (eds. Bell & Atterbury) pp. 632-635. Oregon State University, Corvallis.