

**STATISTICAL AND GEOSTATISTICAL ANALYSIS
OF
THE NATIONAL SOIL INVENTORY
OF
ENGLAND AND WALES**

The Technical Report

**M.A. OLIVER¹, P.J. LOVELAND², Z.L. FROGBROOK¹, R. WEBSTER³,
AND S.P. McGRATH³**

1 = Department of Soil Science, The University of Reading, Reading RG6 6DW

2 = National Soil Resources Institute, Cranfield University, Silsoe, Bedford MK45
4DT

3 = Institute of Arable Crops Research - Rothamsted, Harpenden, Herts. AL5 2JQ

**This work was funded under Project SP0124 of the UK Ministry of Agriculture,
Fisheries and Food (now the Department of Environment, Food and Rural
Affairs).**

February 2002

This report has been made available in electronic format in order meet DEFRA's policy objective of disseminating the results of research widely to the scientific and wider community. Readers of the report may print it if they wish. Although the report is freely available for the purposes of *bona fide* research, education and comment, the material is still covered by Copyright Law. Those wishing to reproduce any of the material in another publication should seek permission from the senior author in the first instance. Any such use will require acknowledgement of the source and an appropriate form of words will be provided.

Each Chapter that follows is presented as a stand-alone document, complete with its own Contents List, Tables and Figures and numbered to start at page 1. Experience has shown that appending the Chapters into a single electronic document produces a file of such size that the average PC cannot manage it successfully.

The disc and its contents have been checked for computer viruses and similar potentially damaging software. However, it is the responsibility of the user of the disc to satisfy him/herself that the disc and its contents are acceptable to the managers of the computing environment in which the disc is used. Neither the authors, nor their organisations, nor the funders of the research accept any responsibility for any consequences arising from the use of this disc or its contents.

The Report was written in Microsoft WORD Version 7.0 and made use of Microsoft Equation Editor Version 3.0. It is best read in version 5.0 or higher of ADOBE Acrobat Reader. This can be downloaded free-of-charge (at the time of writing) from:

<http://www.adobe.com/acrobat/>

All Trademark and Copyright rights inherent in these software products are hereby acknowledged. The authors would be grateful if any errors in the report were pointed out to them.

CONTENTS

Chapter 1 The National Soil Inventory

- 1.1 Introduction
- 1.2 Site location
- 1.3 Site recording
- 1.4 Sampling
- 1.5 Sample treatment
- 1.6 Chemical Analysis
 - 1.6.1 <2 mm soil
 - 1.6.2 <150 micrometre soil
- 1.7 The way forward

Chapter 2 Statistical Methods

- 2.1 Statistical Notation and Summary
 - 2.1.1 Variables
 - 2.1.2 Notation
- 2.2 Descriptive statistics
- 2.3 Transformations
 - 2.3.1 Logarithmic transformation
 - 2.3.2 Square root transform
- 2.4 Exploratory data analysis and display
 - 2.4.1 Histograms
 - 2.4.2 Box-plots
 - 2.4.3 Spatial aspects
- 2.5 Ordination
 - 2.5.1 Principal Component Analysis (PCA)
 - 2.5.2 Principal Coordinate Analysis (PCO)
- 2.6 Numerical Multivariate Classification
 - 2.6.1 Non-hierarchical classification
- 2.7 Geostatistics
 - 2.7.1 Introduction
 - 2.7.2 Measuring the Correlation Structure
 - 2.7.3 Kriging
 - 2.7.4 Co-kriging
- 2.8 Geostatistical Simulation
 - 2.8.1 Sequential Gaussian Simulation
 - 2.8.2 Turning Bands

Chapter 3 Exploratory data analysis

- 3.1 Introduction
- 3.2 Summary statistics and the statistical distribution of the data
 - 3.2.1 Summary of the treatment of outliers and transformations
 - 3.2.2 Results of the analysis of the statistical distribution
- 3.3 Correlation analysis
- 3.4 Principal component analysis (PCA)
- 3.5 Stratification
 - 3.5.1 Summary statistics of the strata
 - 3.5.2 Results for the rainfall strata
 - 3.5.3 Results for the elevation strata

- 3.5.4 Principal components analysis of the rainfall strata
- 3.5.5 Principal components analysis of the elevation strata
- 3.6 Qualitative data

Chapter 4 Multivariate morphological classification

- 4.1 Introduction
- 4.2 The data
- 4.3 Principal Coordinates Analysis (PCO)
 - 4.3.1 Method
 - 4.3.2 Results of the principal coordinate analysis
- 4.4 Classification
 - 4.4.1 Method
 - 4.4.2 How many classes?
 - 4.4.3 Canonical variates
 - 4.4.4 Analysis of variance
- 4.5 Summary

Chapter 5 Variogram analysis

- 5.1 Introduction
- 5.2 Directional variograms of quantitative variables (data set I)
- 5.3 Omnidirectional variograms of quantitative variables (data set I)
- 5.4 Experimental variograms of other data sets and variables
- 5.5 Modelling the variogram
 - 5.5.1 The models fitted to the variograms
- 5.6 Interpreting the variograms
 - 5.6.1 Directional variograms of the quantitative variables (data set I)
 - 5.6.2 Omnidirectional variograms of the quantitative variables for data set I
 - 5.6.3 Variograms of the principal components of data sets I, II and III
 - 5.6.4 Omnidirectional variograms of the quantitative variables for the rainfall and elevation subsets
 - 5.6.5 Variograms of the qualitative variables for data set I
- 5.7 Summary

Chapter 6 Ordinary kriging

- 6.1 Introduction
- 6.2 Methodology for punctual kriging
- 6.3 Results and interpretation of punctual kriging for the 5-km data
 - 6.3.1 Results for Group I variables
 - 6.3.2 Results for Group II variables
 - 6.3.3 Results for Group III variables
 - 6.3.4 Kriging variances

Chapter 7 Factorial kriging

- 7.1 Introduction
- 7.2 Results of factorial kriging
 - 7.2.1 Cadmium
 - 7.2.2 Chromium
 - 7.2.3 Copper
 - 7.2.4 Lead
 - 7.2.5 Zinc

- 7.2.6 Potassium
- 7.2.7 Magnesium
- 7.2.8 Phosphorus
- 7.2.9 pH
- 7.2.10 Organic Carbon
- 7.2.11 Clay
- 7.2.12 Altitude
- 7.3 Summary of factorial kriging results
- 7.4 Analysis of variance

Chapter 8 Disjunctive kriging

- 8.1 Introduction
- 8.2 Summary statistics of Hermite polynomials and the thresholds
- 8.3 Variograms of Hermite polynomials
- 8.4 Probabilities
 - 8.4.1 Cadmium
 - 8.4.2 Chromium
 - 8.4.3 Copper
 - 8.4.4 Nickel
 - 8.4.5 Lead
 - 8.4.6 Zinc
 - 8.4.7 Potassium
 - 8.4.8 Magnesium
 - 8.4.9 Phosphorus
 - 8.4.10 pH
 - 8.4.11 Organic carbon
- 8.5 Summary of disjunctive kriging

Chapter 9 Sampling considerations

- 9.1 Introduction
- 9.2 Preliminary analyses and results of sub-sets of the grid
- 9.3 Punctual kriging of the sub-sets of the grid
- 9.4 Interpretation of the kriged results for the subsets
 - 9.4.1 Cadmium
 - 9.4.2 Chromium
 - 9.4.3 Copper
 - 9.4.4 Nickel
 - 9.4.5 Lead
 - 9.4.6 Zinc
 - 9.4.7 Potassium, Magnesium and Phosphorus
 - 9.4.8 pH, organic C and clay
- 9.5 Summary
- 9.6 Statistical evaluation of the estimates from the subsets
- 9.7 Factorial kriging of the 10-km subset for \log_{10} Zn
- 9.8 Simulation
- 9.9 Co-kriging
- 9.10 Moving averages and variances
- 9.11 Optimal sampling

Chapter 10 Recommendations for a sampling scheme to monitor the soil of England and Wales

- 10.1 Introduction
- 10.2 Sampling for spatial monitoring
- 10.3 Sampling for temporal monitoring
- 10.4 Conclusions

Bibliography

List of Tables

- Table 1.1 Listing of potential attributes for each NSI site.
- Table 3.1 Summary statistics for total and extractable (ext.) Chromium (Cr), Copper (Cu), Lead (Pb), Nickel (Ni), and Zinc (Zn) for England and Wales (mg kg^{-1}).
- Table 3.2 Summary statistics for Aluminium (Al), Barium (Ba), Calcium (Ca), Cobalt (Co), Iron (Fe), Sodium (Na), Manganese (Mn), Strontium (Sr) for England and Wales (mg kg^{-1}). Extractable concentration (ext.) measured for selected properties only.
- Table 3.3 Summary statistics for the total and extractable (ext.) Potassium (K), Magnesium (Mg) and Phosphorus (P) (mg l^{-1}), soil pH, clay content (%), Organic carbon (C) (%) and Altitude (m) for England and Wales.
- Table 3.4 Outlier treatment and transformation. Acceptable levels of skewness are marked by *.
- Table 3.5 Correlation matrix for data set I.
- Table 3.6 Correlation matrix for data set IV.
- Table 3.7 Selected latent roots of the correlation matrix for data sets I to IV.
- Table 3.8 Comparison of the eigenvectors between data set I (5671 sites) and IV (one in four subset of 1433 sites).
- Table 3.9 Eigenvectors for data set II (major variables excluding all extractable elements)
- Table 3.10 Eigenvectors for data set III (major variables excluding some total elements)
- Table 3.11 Summary statistics for total and ext. Cr, Cu, Pb, Ni, and Zn for England and Wales (mg kg^{-1}) with the data stratified according to rainfall \leq 800mm.
- Table 3.12 Summary statistics for Al, Ba, Ca, Co, ext. Co, Fe, Mn, ext. Mn, Na and Sr for England and Wales (mg kg^{-1}) with the data stratified according to rainfall \leq 800mm.
- Table 3.13 Summary statistics for the total and ext. K, Mg and P concentration (mg l^{-1}), soil pH, C (%), clay content (%), and altitude (m) for England and Wales with the data stratified according to rainfall \leq 800mm.
- Table 3.14 Summary statistics for total and ext. Cr, Cu, Pb, Ni, and Zn for England and Wales (mg kg^{-1}) with the data stratified according to rainfall $>$ 800mm.
- Table 3.15 Summary statistics for Al, Ba, Ca, Co, ext. Co, Fe, Mn, ext. Mn, Na and Sr for England and Wales (mg kg^{-1}) with the data stratified according to

	rainfall > 800mm.
Table 3.16	Summary statistics for the total and ext. K, Mg and P concentration (mg l^{-1}), soil pH, C (%), clay content (%), and altitude (m) for England and Wales with the data stratified according to rainfall > 800mm.
Table 3.17	Summary statistics for total and ext. Cr, Cu, Pb, Ni, and Zn for England and Wales (mg kg^{-1}) with the data stratified according to altitude ? 300m.
Table 3.18	Summary statistics for Al, Ba, Ca, Co, ext. Co, Fe, Mn, ext. Mn, Na and Sr for England and Wales (mg kg^{-1}) with the data stratified according to altitude ? 300m.
Table 3.19	Summary statistics for the total and ext. K, Mg and P concentration (mg l^{-1}), soil pH, C (%), clay content (%), and altitude (m) for England and Wales with the data stratified according to altitude ? 300m.
Table 3.20	Summary statistics for total and ext. Cr, Cu, Pb, Ni, and Zn for England and Wales (mg kg^{-1}) with the data stratified according to altitude > 300m.
Table 3.21	Summary statistics for Al, Ba, Ca, Co, ext. Co, Fe, Mn, ext. Mn, Na and Sr for England and Wales (mg kg^{-1}) with the data stratified according to altitude > 300m.
Table 3.22	Summary statistics for the total and ext. K, Mg and P concentration (mg l^{-1}), soil pH, C (%), clay content (%), and altitude (m) for England and Wales with the data stratified according to altitude > 300m.
Table 3.23	Selected latent roots of the correlation matrix for the stratified data.
Table 3.24	Eigenvectors for data stratified according to rainfall ? 800mm and > 800mm.
Table 3.25	Eigenvectors for data stratified according to altitude ? 300m and > 300m.
Table 3.26	Qualitative variables.
Table 4.1	Morphological data used for classification.
Table 4.2	Eigenvalues and percentage variance for the leading principal co-ordinates.
Table 4.3	Eigenvalues and percentage variance from the canonical variate analysis.
Table 4.4	Analysis of variance for data classified according to soil morphological features.
Table 5.1	Comparison of variogram model fitting using Isatis and Genstat for selected variables.
Table 5.2	Fitted variogram models for total and ext. Cd, Cr, Cu, Ni, Pb, and Zn for England and Wales.
Table 5.3	Fitted variogram models for Al, Ba, Ca, Co, ext. Co, Fe, Mn, ext. Mn, Na and Sr for England and Wales.
Table 5.4	Fitted variogram models for total and ext. K, Mg and P, pH, organic C and clay for England and Wales.
Table 5.5	Fitted variogram models for the principal component scores.
Table 5.6	Fitted variogram models for total and ext. Cd, Cr, Cu, Ni, Pb, and Zn for England and Wales with the data stratified according to rainfall.

Table 5.7	Fitted variogram models for total and ext. K, Mg and P, pH, organic C and clay for England and Wales with the data stratified according to rainfall.
Table 5.8	Fitted variogram models for total and ext. Cd, Cr, Cu, Ni, Pb, and Zn for England and Wales with the data stratified according to altitude.
Table 5.9	Fitted variogram models for total and ext. K, Mg and P, pH, organic C and clay for England and Wales with the data stratified according to altitude.
Table 5.10	Fitted variogram models for a selection of the qualitative data for England and Wales.
Table 7.1	Analysis of variance for data classified according to solid geology.
Table 7.2	Components of variance for the long range estimates classified according to solid geology.
Table 8.1	Summary statistics of data after transformation by Hermite polynomials.
Table 8.2	Thresholds for disjunctive kriging. The pH range of the soil for statutory limits is given in brackets.
Table 8.2	Fitted variogram models for the Hermite polynomials from the total metal, ext. nutrient, pH and organic C data for England and Wales.
Table 9.1	Summary statistics for the sub-sampled Cr, Cu, Ni, Pb, and Zn data for England and Wales (mg kg^{-1}).
Table 9.2	Summary statistics for the sub-sampled ext. K, Mg and P (mg l^{-1}) data, pH, organic C (%) and clay content (%), for England and Wales.
Table 9.3	Fitted variogram models for the sub-sampled Cd, Cr, Cu, Ni, Pb and Zn data for England and Wales.
Table 9.4	Fitted variogram models for the sub-sampled ext. K, Mg and P data, pH, organic C and clay content for England and Wales.
Table 9.5	Mean difference, mean squared difference (MSE) and mean ratio for the subsampled data.
Table 9.6	Mean and variance for the punctually kriged estimates.
Table 9.7	Mean difference and mean squared difference (MSE) for predictions of $\log_{10}\text{Zn}$ using simulation and punctual kriging with the variogram for data on a 5-km grid.
Table 9.8	Mean difference and mean squared difference (MSE) for average simulations of $\log_{10}\text{Zn}$ on a 10-km grid.
Table 9.9	Mean and variance of the predictions of $\log_{10}\text{Zn}$ by (turning bands) simulation and (punctual) kriging.
Table 9.10	Fitted linear models of co-regionalization for pH residuals and selected variables.
Table 9.11	Fitted linear models of co-regionalization for altitude and selected variables.
Table 9.12	Fitted linear models of co-regionalization for selected total and extractable metals.
Table 9.13	Mean difference, mean squared difference (MSE) and mean estimation variance for estimates of Pb using the 10-km data with co-kriging and ordinary kriging.

List of Figures

- Figure 2.1 Forms of variograms: (a) unbounded, (b) bounded, (c) pure nugget.
 Figure 2.2 Turning bands in two dimensions.
- Figure 3.1 Boxplot and histogram for (a) Cd and (b) Log_{10}Cd . Outliers were removed from the data before transformation.
 Figure 3.2 Histogram for (a) extractable (ext.) and (b) $\text{Log}_{10}\text{ext. Cd}$. Zeros were removed from the data before transformation..
 Figure 3.3 Histogram for (a) Cr and (b) Log_{10}Cr . The 90 percentile of the data was taken for log transformation.
 Figure 3.4 Boxplot and histogram for (a) Cu and (b) Log_{10}Cu .
 Figure 3.5 Histogram for (a) ext. Cu and (b) $\text{Log}_{10}\text{ext.Cu}$.
 Figure 3.6 Histogram for (a) Ni and (b) Log_{10}Ni . Outliers were removed from the data before transformation.
 Figure 3.7 Histogram for (a) ext.Ni and (b) $\text{Log}_{10}\text{ext. Ni}$.
 Figure 3.8 Histogram for (a) Pb and (b) Log_{10}Pb . Outliers were removed from the data before transformation.
 Figure 3.9 Histogram for (a) ext. Pb and (b) $\text{Log}_{10}\text{ext.Pb}$.
 Figure 3.10 Histogram for (a) Zn and (b) Log_{10}Zn .
 Figure 3.11 Histogram for (a) ext. Zn and (b) $\text{Log}_{10}\text{ext.Zn}$.
 Figure 3.12 Histogram for K.
 Figure 3.13 Histogram for (a) ext. K and (b) $\text{Log}_{10}\text{ext.K}$.
 Figure 3.14 Histogram for (a) Mg and (b) Log_{10}Mg .
 Figure 3.15 Histogram for (a) ext. Mg and (b) $\text{Log}_{10}\text{ext.Mg}$.
 Figure 3.16 Histogram for (a) P and (b) Log_{10}P .
 Figure 3.17 Histogram for (a) ext. P and (b) $\text{Log}_{10}\text{ext.P}$.
 Figure 3.18 Histogram for pH.
 Figure 3.19 Histogram for (a) organic C and (b) $\text{Log}_{10}\text{organic C}$.
 Figure 3.20 Histogram for clay.
 Figure 3.21 Histogram for (a) altitude and (b) $\text{Log}_{10}\text{altitude}$. Outliers were removed from the data before transformation.
 Figure 3.22 Scatter of sites in the plane of principal component scores 1 and 2.
 Figure 3.23 Sampling sites coded according to the solid geology.
- Figure 4.1 Scatter of the 155 sampling sites in the plane of the first two principal co-ordinates.
 Figure 4.2 Scatter of the 5671 sampling sites in the plane of the first two principal co-ordinates.
 Figure 4.3 Plot of g^2L , where g is the group number and L is Wilk's criterion, against g .
 Figure 4.4 Scatter of the 155 sampling sites in the transformed space.
 Figure 4.5 All sites allocated to the optimal classification based on the initial 155 sites plotted according to their class in the plane of canonical variates 1 and 2.
 Figure 4.6 All sites allocated to the optimal classification based on the initial 155 sites after iteration, and plotted according to their class in the plane of canonical variates 1 and 2.
 Figure 4.7 All sites allocated to the optimal classification based on the initial 155 sites plotted according to their class in the plane of canonical variates 2 and 3.

- Figure 4.8 All sites allocated to the optimal classification based on the initial 155 sites after iteration, and plotted according to their class in the plane of canonical variates 2 and 3.
- Figure 5.1 Directional variograms for $\log_{10}\text{Cr}$ from the 5-km data.
- Figure 5.2 Directional variograms for $\log_{10}\text{Cu}$ from the 5-km data.
- Figure 5.3 Directional variograms for $\log_{10}\text{Ba}$ from the 5-km data.
- Figure 5.4 Directional variograms for $\log_{10}\text{Ca}$ from the 5-km data.
- Figure 5.5 Directional variograms for $\log_{10}\text{Na}$ from the 5-km data.
- Figure 5.6 Directional variograms for $\log_{10}\text{Sr}$ from the 5-km data.
- Figure 5.7 Directional variograms for K from the 5-km data.
- Figure 5.8 Directional variograms for $\log_{10}\text{extK}$ from the 5-km data.
- Figure 5.9 Directional variograms for $\log_{10}\text{Mg}$ from the 5-km data.
- Figure 5.10 Directional variograms for $\log_{10}\text{extMg}$ from the 5-km data.
- Figure 5.11 Directional variograms for \log_{10} phosphorus from the 5-km data.
- Figure 5.12 Directional variograms for pH from the 5-km data.
- Figure 5.13 Directional variograms for $\log_{10}\text{organic C}$ from the 5-km data.
- Figure 5.14 Directional variograms for clay from the 5-km data.
- Figure 5.15 Directional variograms for $\log_{10}\text{altitude}$ from the 5-km data.
- Figure 5.16 Directional variograms for $\log_{10}\text{Zn}$ from the 5-km data.
- Figure 5.17 Experimental variogram for (a) original pH and (b) pH residuals.
- Figure 5.18 Experimental variogram (symbol) and fitted model (line) for (a) $\log_{10}\text{Cd}$ and (b) $\log_{10}\text{ext. Cd}$ from the 5-km data.
- Figure 5.19 Experimental variogram (symbol) and fitted model (line) for $\log_{10}\text{Cr}$ from the 5-km data.
- Figure 5.20 Experimental variogram (symbol) and fitted model (line) for (a) $\log_{10}\text{Cu}$ and (b) $\log_{10}\text{ext. Cu}$ from the 5-km data.
- Figure 5.21 Experimental variogram (symbol) and fitted model (line) for (a) $\log_{10}\text{Ni}$ and (b) $\log_{10}\text{ext. Ni}$ from the 5-km data.
- Figure 5.22 Experimental variogram (symbol) and fitted model (line) for (a) $\log_{10}\text{Pb}$ and (b) $\log_{10}\text{ext. Pb}$ from the 5-km data.
- Figure 5.23 Experimental variogram (symbol) and fitted model (line) for (a) $\log_{10}\text{Zn}$ and (b) $\log_{10}\text{ext. Zn}$ from the 5-km data.
- Figure 5.24 Experimental variogram (symbol) and fitted model (line) for Al from the 5-km data.
- Figure 5.25 Experimental variogram (symbol) and fitted model (line) for $\log_{10}\text{Ba}$ from the 5-km data.
- Figure 5.26 Experimental variogram (symbol) and fitted model (line) for $\log_{10}\text{Ca}$ from the 5-km data.
- Figure 5.27 Experimental variogram (symbol) and fitted model (line) for (a) sqrtCo and (b) $\log_{10}\text{ext. Co}$ from the 5-km data.
- Figure 5.28 Experimental variogram (symbol) and fitted model (line) for $\log_{10}\text{Fe}$ from the 5-km data.
- Figure 5.29 Experimental variogram (symbol) and fitted model (line) for $\log_{10}\text{Na}$ from the 5-km data.
- Figure 5.30 Experimental variogram (symbol) and fitted model (line) for (a) $\log_{10}\text{Mn}$ and (b) $\log_{10}\text{ext. Mn}$ from the 5-km data.
- Figure 5.31 Experimental variogram (symbol) and fitted model (line) for $\log_{10}\text{Sr}$ from the 5-km data.

- Figure 5.32 Experimental variogram (symbol) and fitted model (line) for (a) K and (b) \log_{10} ext. K from the 5-km data.
- Figure 5.33 Experimental variogram (symbol) and fitted model (line) for (a) \log_{10} Mg and (b) \log_{10} ext. Mg from the 5-km data.
- Figure 5.34 Experimental variogram (symbol) and fitted model (line) for (a) \log_{10} P and (b) \log_{10} ext. P from the 5-km data.
- Figure 5.35 Experimental variogram (symbol) and fitted model (line) for pH residuals from the 5-km data.
- Figure 5.36 Experimental variogram (symbol) and fitted model (line) for \log_{10} organic C from the 5-km data.
- Figure 5.37 Experimental variogram (symbol) and fitted model (line) for clay from the 5-km data.
- Figure 5.38 Experimental variogram (symbol) and fitted model (line) for \log_{10} altitude from the 5-km data.
- Figure 5.39 Variogram for principal component 1 for (a) data set I, (b) data set II, (c) data set III and (d) data set IV.
- Figure 5.40 Variogram for principal component 2 for (a) data set I, (b) data set II, (c) data set III and (d) data set IV.
- Figure 5.41 Variogram for principal component 3 for (a) data set I, (b) data set II, (c) data set III and (d) data set IV.
- Figure 5.42 Variogram for principal component 4 for (a) data set I, (b) data set II, (c) data set III and (d) data set IV.
- Figure 5.43 Variogram for principal component 5 for (a) data set I, (b) data set II, (c) data set III and (d) data set IV.
- Figure 5.44 Variogram for Cd from the 5-km data stratified according to (a) rainfall \leq 800mm, (b) rainfall $>$ 800mm, (c) altitude \leq 300m and (d) altitude $>$ 300m.
- Figure 5.45 Variogram for Cr from the 5-km data stratified according to (a) rainfall \leq 800mm, (b) rainfall $>$ 800mm, (c) altitude \leq 300m and (d) altitude $>$ 300m.
- Figure 5.46 Variogram for Cu from the 5-km data stratified according to (a) rainfall \leq 800mm, (b) rainfall $>$ 800mm, (c) altitude \leq 300m and (d) altitude $>$ 300m.
- Figure 5.47 Variogram for Ni from the 5-km data stratified according to (a) rainfall \leq 800mm, (b) rainfall $>$ 800mm, (c) altitude \leq 300m and (d) altitude $>$ 300m.
- Figure 5.48 Variogram for Pb from the 5-km data stratified according to (a) rainfall \leq 800mm, (b) rainfall $>$ 800mm, (c) altitude \leq 300m and (d) altitude $>$ 300m.
- Figure 5.49 Variogram for Zn from the 5-km data stratified according to (a) rainfall \leq 800mm, (b) rainfall $>$ 800mm, (c) altitude \leq 300m and (d) altitude $>$ 300m.
- Figure 5.50 Variogram for ext. K from the 5-km data stratified according to (a) rainfall \leq 800mm, (b) rainfall $>$ 800mm, (c) altitude \leq 300m and (d) altitude $>$ 300m.
- Figure 5.51 Variogram for ext. Mg from the 5-km data stratified according to (a) rainfall \leq 800mm, (b) rainfall $>$ 800mm, (c) altitude \leq 300m and (d) altitude $>$ 300m.

- Figure 5.52 Variogram for ext. P from the 5-km data stratified according to (a) rainfall \leq 800mm, (b) rainfall $>$ 800mm, (c) altitude \leq 300m and (d) altitude $>$ 300m.
- Figure 5.53 Variogram for pH from the 5-km data stratified according to (a) rainfall \leq 800mm, (b) rainfall $>$ 800mm, (c) altitude \leq 300m and (d) altitude $>$ 300m.
- Figure 5.54 Variogram for organic C from the 5-km data stratified according to (a) rainfall \leq 800mm, (b) rainfall $>$ 800mm, (c) altitude \leq 300m and (d) altitude $>$ 300m.
- Figure 5.55 Variogram for clay from the 5-km data stratified according to (a) rainfall \leq 800mm, (b) rainfall $>$ 800mm, (c) altitude \leq 300m and (d) altitude $>$ 300m.
- Figure 5.56 Indicator variogram for arable land.
- Figure 5.57 Average indicator variogram for solid geology.
- Figure 5.58 Average indicator variogram for carbonates.
-
- Figure 6.1 Original values of Cd on a 5-km grid.
- Figure 6.2 Punctually kriged estimates of Cd on a 2.5-km grid from the 5-km NSI data.
- Figure 6.3 Original values of ext. Cd on a 5-km grid.
- Figure 6.4 Punctually kriged estimates of ext. Cd on a 2.5-km grid from the 5-km NSI data.
- Figure 6.5 Original values of Cr on a 5-km grid.
- Figure 6.6 Punctually kriged estimates of Cr on a 2.5-km grid from the 5-km NSI data.
- Figure 6.7 Original values of Cu on a 5-km grid.
- Figure 6.8 Punctually kriged estimates of Cu on a 2.5-km grid from the 5-km NSI data.
- Figure 6.9 Original values of ext. Cu on a 5-km grid.
- Figure 6.10 Punctually kriged estimates of ext. Cu on a 2.5-km grid from the 5-km NSI data.
- Figure 6.11 Original values of Ni on a 5-km grid.
- Figure 6.12 Punctually kriged estimates of Ni on a 2.5-km grid from the 5-km NSI data.
- Figure 6.13 Original values of ext. Ni on a 5-km grid.
- Figure 6.14 Punctually kriged estimates of ext. Ni on a 2.5-km grid from the 5-km NSI data.
- Figure 6.15 Original values of Pb on a 5-km grid.
- Figure 6.16 Punctually kriged estimates of Pb on a 2.5-km grid from the 5-km NSI data.
- Figure 6.17 Original values of ext. Pb on a 5-km grid.
- Figure 6.18 Punctually kriged estimates of ext. Pb on a 2.5-km grid from the 5-km NSI data.
- Figure 6.19 Original values of Zn on a 5-km grid.
- Figure 6.20 Punctually kriged estimates of Zn on a 2.5-km grid from the 5-km NSI data.
- Figure 6.21 Original values of ext. Zn on a 5-km grid.
- Figure 6.22 Punctually kriged estimates of ext. Zn on a 2.5-km grid from the 5-km NSI data.
- Figure 6.23 Original values of Al on a 5-km grid.

- Figure 6.24 Punctually kriged estimates of Al on a 2.5-km grid from the 5-km NSI data.
- Figure 6.25 Original values of Ba on a 5-km grid.
- Figure 6.26 Punctually kriged estimates of Ba on a 2.5-km grid from the 5-km NSI data.
- Figure 6.27 Original values of Co on a 5-km grid.
- Figure 6.28 Punctually kriged estimates of Co on a 2.5-km grid from the 5-km NSI data.
- Figure 6.29 Original values of ext. Co on a 5-km grid.
- Figure 6.30 Punctually kriged estimates of ext. Co on a 2.5-km grid from the 5-km NSI data.
- Figure 6.31 Original values of Fe on a 5-km grid.
- Figure 6.32 Punctually kriged estimates of Fe on a 2.5-km grid from the 5-km NSI data.
- Figure 6.33 Original values of Na on a 5-km grid.
- Figure 6.34 Punctually kriged estimates of Na on a 2.5-km grid from the 5-km NSI data.
- Figure 6.35 Original values of Mn on a 5-km grid.
- Figure 6.36 Punctually kriged estimates of Mn on a 2.5-km grid from the 5-km NSI data.
- Figure 6.37 Original values of ext. Mn on a 5-km grid.
- Figure 6.38 Punctually kriged estimates of ext. Mn on a 2.5-km grid from the 5-km NSI data.
- Figure 6.39 Original values of Sr on a 5-km grid.
- Figure 6.40 Punctually kriged estimates of Sr on a 2.5-km grid from the 5-km NSI data.
- Figure 6.41 Original values of K on a 5-km grid.
- Figure 6.42 Punctually kriged estimates of K on a 2.5-km grid from the 5-km NSI data.
- Figure 6.43 Original values of ext. K on a 5-km grid.
- Figure 6.44 Punctually kriged estimates of ext. K on a 2.5-km grid from the 5-km NSI data.
- Figure 6.45 Original values of Mg on a 5-km grid.
- Figure 6.46 Punctually kriged estimates of Mg on a 2.5-km grid from the 5-km NSI data.
- Figure 6.47 Original values of ext. Mg on a 5-km grid.
- Figure 6.48 Punctually kriged estimates of ext. Mg on a 2.5-km grid from the 5-km NSI data.
- Figure 6.49 Original values of P on a 5-km grid.
- Figure 6.50 Punctually kriged estimates of P on a 2.5-km grid from the 5-km NSI data.
- Figure 6.51 Original values of ext. P on a 5-km grid.
- Figure 6.52 Punctually kriged estimates of ext. P on a 2.5-km grid from the 5-km NSI data.
- Figure 6.53 Original values of pH on a 5-km grid
- Figure 6.54 Punctually kriged estimates of pH on a 2.5-km grid from the 5-km NSI data.
- Figure 6.55 Original values of organic C on a 5-km grid.
- Figure 6.56 Punctually kriged estimates of organic C on a 2.5-km grid from the 5-km NSI data.

- Figure 6.57 Original values of clay on a 5-km grid.
Figure 6.58 Punctually kriged estimates of clay on a 2.5-km grid from the 5-km NSI data.
Figure 6.59 Original values of altitude on a 5-km grid.
Figure 6.60 Punctually kriged estimates of altitude on a 2.5-km grid from the 5-km NSI data.
Figure 6.61 Map of estimation variance for Zn.
Figure 6.62 Map of estimation variance for ext. K.
- Figure 7.1 Decomposed variogram for Zn.
Figure 7.2 Short range estimates from factorial kriging of $\log_{10}\text{Cd}$ on a 2.5-km grid from the 5-km data.
Figure 7.3 Long range estimates from factorial kriging of $\log_{10}\text{Cd}$ on a 2.5-km grid from the 5-km data.
Figure 7.4 Short range estimates from factorial kriging of $\log_{10}\text{Cr}$ on a 2.5-km grid from the 5-km data.
Figure 7.5 Long range estimates from factorial kriging of $\log_{10}\text{Cr}$ on a 2.5-km grid from the 5-km data.
Figure 7.6 Short range estimates from factorial kriging of $\log_{10}\text{Cu}$ on a 2.5-km grid from the 5-km data.
Figure 7.7 Long range estimates from factorial kriging of $\log_{10}\text{Cu}$ on a 2.5-km grid from the 5-km data.
Figure 7.8 Short range estimates from factorial kriging of $\log_{10}\text{Pb}$ on a 2.5-km grid from the 5-km data.
Figure 7.9 Long range estimates from factorial kriging of $\log_{10}\text{Pb}$ on a 2.5-km grid from the 5-km data.
Figure 7.10 Short range estimates from factorial kriging of $\log_{10}\text{Zn}$ on a 2.5-km grid from the 5-km data.
Figure 7.11 Long range estimates from factorial kriging of $\log_{10}\text{Zn}$ on a 2.5-km grid from the 5-km data.
Figure 7.12 Short range estimates from factorial kriging of $\log_{10}\text{ext. K}$ on a 2.5-km grid from the 5-km data.
Figure 7.13 Long range estimates from factorial kriging of $\log_{10}\text{ext. K}$ on a 2.5-km grid from the 5-km data.
Figure 7.14 Short range estimates from factorial kriging of $\log_{10}\text{ext. Mg}$ on a 2.5-km grid from the 5-km data.
Figure 7.15 Long range estimates from factorial kriging of $\log_{10}\text{ext. Mg}$ on a 2.5-km grid from the 5-km data.
Figure 7.16 Short range estimates from factorial kriging of $\log_{10}\text{ext. P}$ on a 2.5-km grid from the 5-km data.
Figure 7.17 Long range estimates from factorial kriging of $\log_{10}\text{ext. P}$ on a 2.5-km grid from the 5-km data.
Figure 7.18 Short range estimates from factorial kriging of pH residuals on a 2.5-km grid from the 5-km data.
Figure 7.19 Long range estimates from factorial kriging of pH residuals on a 2.5-km grid from the 5-km data.
Figure 7.20 Short range estimates from factorial kriging of $\log_{10}\text{organic C}$ on a 2.5-km grid from the 5-km data.
Figure 7.21 Long range estimates from factorial kriging of $\log_{10}\text{organic C}$ on a 2.5-km grid from the 5-km data.

- Figure 7.22 Short range estimates from factorial kriging of clay on a 2.5-km grid from the 5-km data.
- Figure 7.23 Long range estimates from factorial kriging of clay on a 2.5-km grid from the 5-km data.
- Figure 7.24 Short range estimates from factorial kriging of \log_{10} altitude on a 2.5-km grid from the 5-km data.
- Figure 7.25 Long range estimates from factorial kriging of \log_{10} altitude on a 2.5-km grid from the 5-km data.
- Figure 8.1 Variogram of Cd after transformation by Hermite polynomials.
- Figure 8.2 Variogram of Cr after transformation by Hermite polynomials.
- Figure 8.3 Variogram of Cu after transformation by Hermite polynomials.
- Figure 8.4 Variogram of Ni after transformation by Hermite polynomials.
- Figure 8.5 Variogram of Pb after transformation by Hermite polynomials.
- Figure 8.6 Variogram of Zn after transformation by Hermite polynomials.
- Figure 8.7 Variogram of ext. K after transformation by Hermite polynomials.
- Figure 8.8 Variogram of ext. Mg after transformation by Hermite polynomials.
- Figure 8.9 Variogram of ext. P after transformation by Hermite polynomials.
- Figure 8.10 Variogram of pH after transformation by Hermite polynomials.
- Figure 8.11 Variogram of organic C after transformation by Hermite polynomials.
- Figure 8.12 Estimated probabilities of exceeding 1.0 mg kg^{-1} Cd.
- Figure 8.13 Estimated probabilities of exceeding 1.25 mg kg^{-1} Cd.
- Figure 8.14 Estimated probabilities of exceeding 1.5 mg kg^{-1} Cd.
- Figure 8.15 Estimated probabilities of exceeding 2.0 mg kg^{-1} Cd.
- Figure 8.16 Estimated probabilities of exceeding 3.0 mg kg^{-1} Cd.
- Figure 8.17 Estimated probabilities of exceeding 50 mg kg^{-1} Cr.
- Figure 8.18 Estimated probabilities of exceeding 75 mg kg^{-1} Cr.
- Figure 8.19 Estimated probabilities of exceeding 100 mg kg^{-1} Cr.
- Figure 8.20 Estimated probabilities of being less than 25 mg kg^{-1} Cu.
- Figure 8.21 Estimated probabilities of exceeding 50 mg kg^{-1} Cu.
- Figure 8.22 Estimated probabilities of exceeding 100 mg kg^{-1} Cu.
- Figure 8.23 Estimated probabilities of exceeding 25 mg kg^{-1} Ni.
- Figure 8.24 Estimated probabilities of exceeding 50 mg kg^{-1} Ni.
- Figure 8.25 Estimated probabilities of exceeding 100 mg kg^{-1} Pb.
- Figure 8.26 Estimated probabilities of exceeding 200 mg kg^{-1} Pb.
- Figure 8.27 Estimated probabilities of exceeding 300 mg kg^{-1} Pb.
- Figure 8.28 Estimated probabilities of being less than 50 mg kg^{-1} Zn.
- Figure 8.29 Estimated probabilities of being less than 100 mg kg^{-1} Zn.
- Figure 8.30 Estimated probabilities of exceeding 100 mg kg^{-1} Zn.
- Figure 8.31 Estimated probabilities of exceeding 150 mg kg^{-1} Zn.
- Figure 8.32 Estimated probabilities of exceeding 200 mg kg^{-1} Zn.
- Figure 8.33 Estimated probabilities of being less than 61 mg l^{-1} ext. K.
- Figure 8.34 Estimated probabilities of being less than 121 mg l^{-1} ext. K.
- Figure 8.35 Estimated probabilities of being less than 241 mg l^{-1} ext. K.
- Figure 8.36 Estimated probabilities of being less than 26 mg l^{-1} ext. Mg.
- Figure 8.37 Estimated probabilities of being less than 51 mg l^{-1} ext. Mg.
- Figure 8.38 Estimated probabilities of being less than 101 mg l^{-1} ext. Mg.
- Figure 8.39 Estimated probabilities of being less than 176 mg l^{-1} ext. Mg.
- Figure 8.40 Estimated probabilities of being less than 10 mg l^{-1} ext. P.
- Figure 8.41 Estimated probabilities of being less than 16 mg l^{-1} ext. P.

- Figure 8.42 Estimated probabilities of being less than 26 mg I¹ ext. P.
Figure 8.43 Estimated probabilities of being less than 46 mg I¹ ext. P.
Figure 8.44 Estimated probabilities of being less than pH 4.0.
Figure 8.45 Estimated probabilities of being less than pH 6.0.
Figure 8.46 Estimated probabilities of being less than pH 7.0.
Figure 8.47 Estimated probabilities of exceeding pH 6.5.
Figure 8.48 Estimated probabilities of exceeding pH 7.0.
Figure 8.49 Estimated probabilities of being less than 2% organic C.
Figure 8.50 Estimated probabilities of being less than 3% organic C.
Figure 8.51 Estimated probabilities of being less than 5% organic C.
- Figure 9.1 Variogram for Cd from the (a) 5-km, (b) 10-km (c) 15-km data and (d) the 20-km data.
Figure 9.2 Variogram for Cr from the (a) 5-km, (b) 10-km, (c) 15-km and (d) the 20-km data.
Figure 9.3 Variogram for Cu from the (a) 5-km, (b) 10-km, (c) 15-km and (d) the 20-km data.
Figure 9.4 Variogram for Ni from the (a) 5-km, (b) 10-km, (c) 15-km and (d) the 20-km data.
Figure 9.5 Variogram for Pb from the (a) 5-km, (b) 10-km, (c) 15-km and (d) the 20-km data.
Figure 9.6 Variogram for Zn from the (a) 5-km, (b) 10-km, (c) 15-km and (d) the 20-km data.
Figure 9.7 Variogram for ext. K from the (a) 5-km, (b) 10-km, (c) 15-km and (d) the 20-km data.
Figure 9.8 Variogram for ext. Mg from the (a) 5-km, (b) 10-km, (c) 15-km and (d) the 20-km data.
Figure 9.9 Variogram for ext. P from the (a) 5-km, (b) 10-km and (c) 15-km data.
Figure 9.10 Variogram for pH from the (a) 5-km, (b) 10-km and (c) 15-km data.
Figure 9.11 Variogram for organic C from the (a) 5-km, (b) 10-km, (c) 15-km and (d) the 20-km data.
Figure 9.12 Variogram for clay from the (a) 5-km, (b) 10-km and (c) 15-km data.
Figure 9.13 Punctually kriged estimates of Cd on a 5-km grid from the 10-km sub-sample.
Figure 9.14 Punctually kriged estimates of Cd on a 5-km grid from the 15-km sub-sample.
Figure 9.15 Punctually kriged estimates of Cd on a 5-km grid from the 20-km sub-sample.
Figure 9.16 Punctually kriged estimates of Cr on a 5-km grid from the 10-km sub-sample.
Figure 9.17 Punctually kriged estimates of Cr on a 5-km grid from the 15-km sub-sample.
Figure 9.18 Punctually kriged estimates of Cr on a 5-km grid from the 20-km sub-sample.
Figure 9.19 Punctually kriged estimates of Cu on a 5-km grid from the 10-km sub-sample.
Figure 9.20 Punctually kriged estimates of Cu on a 5-km grid from the 15-km sub-sample.
Figure 9.21 Punctually kriged estimates of Cu on a 5-km grid from the 20-km sub-sample.

- Figure 9.22 Punctually kriged estimates of Ni on a 5-km grid from the 10-km sub-sample.
- Figure 9.23 Punctually kriged estimates of Ni on a 5-km grid from the 15-km sub-sample.
- Figure 9.24 Punctually kriged estimates of Ni on a 5-km grid from the 20-km sub-sample.
- Figure 9.25 Punctually kriged estimates of Pb on a 5-km grid from the 10-km sub-sample.
- Figure 9.26 Punctually kriged estimates of Pb on a 5-km grid from the 15-km sub-sample.
- Figure 9.27 Punctually kriged estimates of Pb on a 5-km grid from the 20-km sub-sample.
- Figure 9.28 Punctually kriged estimates of Zn on a 5-km grid from the 10-km sub-sample.
- Figure 9.29 Punctually kriged estimates of Zn on a 5-km grid from the 15-km sub-sample.
- Figure 9.30 Punctually kriged estimates of Zn on a 5-km grid from the 20-km sub-sample.
- Figure 9.31 Punctually kriged estimates of Zn on a 5-km grid from the 25-km sub-sample.
- Figure 9.32 Punctually kriged estimates of Zn on a 5-km grid from the 30-km sub-sample.
- Figure 9.33 Punctually kriged estimates of ext. K on a 5-km grid from the 10-km sub-sample.
- Figure 9.34 Punctually kriged estimates of ext. K on a 5-km grid from the 15-km sub-sample.
- Figure 9.35 Punctually kriged estimates of ext. K on a 5-km grid from the 20-km sub-sample.
- Figure 9.36 Punctually kriged estimates of ext. Mg on a 5-km grid from the 10-km sub-sample.
- Figure 9.37 Punctually kriged estimates of ext. Mg on a 5-km grid from the 15-km sub-sample.
- Figure 9.38 Punctually kriged estimates of ext. Mg on a 5-km grid from the 20-km sub-sample.
- Figure 9.39 Punctually kriged estimates of ext. P on a 5-km grid from the 10-km sub-sample.
- Figure 9.40 Punctually kriged estimates of ext. P on a 5-km grid from the 15-km sub-sample.
- Figure 9.41 Punctually kriged estimates of ext. P on a 5-km grid from the 20-km sub-sample.
- Figure 9.42 Punctually kriged estimates of pH on a 5-km grid from the 10-km sub-sample.
- Figure 9.43 Punctually kriged estimates of pH on a 5-km grid from the 15-km sub-sample.
- Figure 9.44 Punctually kriged estimates of pH on a 5-km grid from the 20-km sub-sample.
- Figure 9.45 Punctually kriged estimates of organic C on a 5-km grid from the 10-km sub-sample.
- Figure 9.46 Punctually kriged estimates of organic C on a 5-km grid from the 15-km sub-sample.

- Figure 9.47 Punctually kriged estimates of organic C on a 5-km grid from the 20-km sub-sample.
- Figure 9.48 Punctually kriged estimates of clay on a 5-km grid from the 10-km sub-sample.
- Figure 9.49 Punctually kriged estimates of clay on a 5-km grid from the 15-km sub-sample.
- Figure 9.50 Punctually kriged estimates of clay on a 5-km grid from the 20-km sub-sample.
- Figure 9.51 Absolute differences between punctually kriged estimates of Pb from the 10-km sub-sample and the original data on a 5-km grid.
- Figure 9.52 Absolute differences between punctually kriged estimates of Pb from the 15-km sub-sample and the original data on a 5-km grid.
- Figure 9.53 Absolute differences between punctually kriged estimates of Pb from the 20-km sub-sample and the original data on a 5-km grid.
- Figure 9.54 Absolute differences between punctually kriged estimates of Zn from the 10-km sub-sample and the original data on a 5-km grid.
- Figure 9.55 Absolute differences between punctually kriged estimates of Zn from the 15-km sub-sample and the original data on a 5-km grid.
- Figure 9.56 Absolute differences between punctually kriged estimates of Zn from the 20-km sub-sample and the original data on a 5-km grid.
- Figure 9.57 Short range estimates from factorial kriging of $\log_{10}\text{Zn}$ from the 10-km data.
- Figure 9.58 Short range estimates from factorial kriging of $\log_{10}\text{Zn}$ from the 10-km data.
- Figure 9.59 Simulated predictions of Zn on a 5-km grid from the 10-km data.
- Figure 9.60 Simulated predictions of Zn on a 5-km grid from the 15-km data.
- Figure 9.61 Simulated predictions of Zn on a 5-km grid from the 20-km data
- Figure 9.62 Absolute differences between simulated predictions of Zn from the 10-km sub-sample and the original data on a 5-km grid.
- Figure 9.63 Absolute differences between simulated predictions of Zn from the 15-km sub-sample and the original data on a 5-km grid.
- Figure 9.64 Absolute differences between simulated predictions of Zn from the 20-km sub-sample and the original data on a 5-km grid.
- Figure 9.65 Fitted linear model of co-regionalization for pH residuals and $\log_{10}\text{Cd}$ from the 5-km data.
- Figure 9.66 Fitted linear model of co-regionalization for pH residuals and $\log_{10}\text{Ni}$ from the 5-km data.
- Figure 9.67 Fitted linear model of co-regionalization for pH residuals and $\log_{10}\text{Pb}$ from the 5-km data.
- Figure 9.68 Fitted linear model of co-regionalization for pH residuals and $\log_{10}\text{Mg}$ from the 5-km data.
- Figure 9.69 Fitted linear model of co-regionalization for pH residuals and $\log_{10}\text{organic C}$ from the 5-km data.
- Figure 9.70 Fitted linear model of co-regionalization for pH residuals and $\log_{10}\text{altitude}$ from the 5-km data.
- Figure 9.71 Fitted linear model of co-regionalization for $\log_{10}\text{altitude}$ and $\log_{10}\text{ext. Ni}$ from the 5-km data.
- Figure 9.72 Fitted linear model of co-regionalization for $\log_{10}\text{altitude}$ and $\log_{10}\text{Pb}$ from the 5-km data.

- Figure 9.73 Fitted linear model of co-regionalization for \log_{10} altitude and \log_{10} organic C from the 5-km data.
- Figure 9.74 Fitted linear model of co-regionalization for \log_{10} Cu and \log_{10} ext. Cu from the 5-km data.
- Figure 9.75 Fitted linear model of co-regionalization for \log_{10} Pb and \log_{10} ext. Pb from the 5-km data.
- Figure 9.76 Moving average for Log_{10} Cd from the 5-km data.
- Figure 9.77 Moving variance for Log_{10} Cd from the 5-km data.
- Figure 9.78 Moving average for Log_{10} Cr from the 5-km data.
- Figure 9.79 Moving variance for Log_{10} Cr from the 5-km data.
- Figure 9.80 Moving average for Log_{10} Cu from the 5-km data.
- Figure 9.81 Moving variance for Log_{10} Cu from the 5-km data.
- Figure 9.82 Moving average for Log_{10} Ni from the 5-km data.
- Figure 9.83 Moving variance for Log_{10} Ni from the 5-km data.
- Figure 9.84 Moving average for Log_{10} Pb from the 5-km data.
- Figure 9.85 Moving variance for Log_{10} Pb from the 5-km data.
- Figure 9.86 Moving average for Log_{10} Zn from the 5-km data.
- Figure 9.87 Moving variance for Log_{10} Zn from the 5-km data.
- Figure 9.88 Moving average for Log_{10} ext. K from the 5-km data.
- Figure 9.89 Moving variance for Log_{10} ext. K from the 5-km data.
- Figure 9.90 Moving average for Log_{10} ext. Mg from the 5-km data.
- Figure 9.91 Moving variance for Log_{10} ext. Mg from the 5-km data.
- Figure 9.92 Moving average for Log_{10} ext. P from the 5-km data.
- Figure 9.93 Moving variance for Log_{10} ext. P from the 5-km data.
- Figure 9.94 Moving average for pH from the 5-km data.
- Figure 9.95 Moving variance for pH from the 5-km data.